

产品认证证书

证书编号: CQC16001150660

发证日期: 2022年11月01日 有效期至: 2027年10月31日

及注册地址 中国广东省东莞市高埗镇低涌第二工业区厂房 C

制造商名称 广东汇万电子科技有限公司

及注册地址 中国广东省东莞市高埗镇低涌第二工业区厂房 C

生产企业名称 广东汇万电子科技有限公司

及生产地址 中国广东省东莞市高埗镇低涌第二工业区厂房 C

产品名称和系列、压敏电阻器

规格、型号 V-(820K~182K)-20D、V-(820K~182K)-20E、V-(820K~182K)-20DH、V-(820K~182K)

-20EH, 压敏电压: 82V~1800V;最大连续交流电压: 50VAC~1000VAC,压敏电压的允许偏差为 K: ±10%;气候类别为 40/125/21[型号为 V-(820K~181K)-20D、V-(820K~181K)-20E、V-(820K~181K)-20DH、V-(820K~181K)-20EH的压敏电阻器仅适用于 GB/T10193-1997,GB/T10194-1997],详见附件,(不用于接入交流电网电源电压 600V,过电压类别IV的设备)

产品标准和技术要求 GB/T 10193-1997;GB/T 10194-1997;GB 4943.1-2022;IEC 61051-2:1991+Amd1:2009

认证模式 产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC11-471551-2022 认证规则的要求,特发此证。 本证书为变更证书,证书首次颁发日期:2016年09月01日 证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心

中国・北京・南四环西路188号9区 100070

电话: +86 10 83886666



产品认证证书

证书编号 CQC16001150660

第1页 共2页

本证书及附件应同时使用,信息查验说明见证书页

纸号:

				压敏	最大连续	
	켈 号	-规格		电压	交流电压	标准
		7.01 <u>1</u>		(V)	(VAC)	14E
V-820K-20D	V-820K-20E	V-820K-20DH	V-820K-20EH	82	50	
V-101K-20D	V-101K-20E	V-101K-20DH	V-101K-20EH	100	60	
V-121K-20D	V-121K-20E	V-121K-20DH	V-121K-20EH	120	75	GB/T10193-1997
V-151K-20D	V-151K-20E	V-151K-20DH	V-151K-20EH	150	95	GB/T10194-1997
V-181K-20D	V-181K-20E	V-181K-20DH	V-181K-20EH	180	115	
V-201K-20D	V-201K-20E	V-201K-20DH	V-201K-20EH	200	130	
V-221K-20D	V-221K-20E	V-221K-20DH	V-221K-20EH	220	140	
V-241K-20D	V-241K-20E	V-241K-20DH	V-241K-20EH	240	150	
V-271K-20D	V-271K-20E	V-271K-20DH	V-271K-20EH	270	175	
V-301K-20D	V-301K-20E	V-301K-20DH	V-301K-20EH	300	195	
V-331K-20D	V-331K-20E	V-331K-20DH	V-331K-20EH	330	210	
V-361K-20D	V-361K-20E	V-361K-20DH	V-361K-20EH	360	230	2
V-391K-20D	V-391K-20E	V-391K-20DH	V-391K-20EH	390	250	
V-431K-20D	V-431K-20E	V-431K-20DH	V-431K-20EH	430	275	
V-471K-20D	V-471K-20E	V-471K-20DH	V-471K-20EH	470	300	GB/T10193-1997
V-511K-20D	V-511K-20E	V-511K-20DH	V-511K-20EH	510	320	GB/T10194-1997
V-531K-20D	V-531K-20E	V-531K-20DH	V-531K-20EH	530	330	GB4943. 1-2022
V-561K-20D	V-561K-20E	V-561K-20DH	V-561K-20EH	560	350	
V-621K-20D	V-621K-20E	V-621K-20DH	V-621K-20EH	620	385	
V-681K-20D	V-681K-20E	V-681K-20DH	V-681K-20EH	680	420	
V-751K-20D	V-751K-20E	V-751K-20DH	V-751K-20EH	750	460	
V-781K-20D	V-781K-20E	V-781K-20DH	V-781K-20EH	780	485	
V-821K-20D	V-821K-20E	V-821K-20DH	V-821K-20EH	820	510	
V-911K-20D	V-911K-20E	V-911K-20DH	V-911K-20EH	910	550	
V-102K-20D	V-102K-20E	V-102K-20DH	V-102K-20EH	1000	625	
V-112K-20D	V-112K-20E	V-112K-20DH	V-112K-20EH	1100	680	



中国质量认证中心



cac 产品认证证书


证书编号 CQC16001150660


第2页 共2页

本证书及附件应同时使用,信息查验说明见证书页

纸号:

V-182K-20D	V-182K-20E	V-182K-20DH	V-182K-20EH	1800	1000







CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC16001150660 Valid from: Nov.01,2022
Valid until: Oct.31,2027

NAME AND REGISTERED

Guangdong Huiwan Electronics Technology Co.,LTD.

ADDRESS OF THE APPLICANT

Plant C, the Dichong second industrial park, Gaobu town, Dongguan city, Guangdong

province, China.

NAME AND REGISTERED

Guangdong Huiwan Electronics Technology Co.,LTD.

ADDRESS OF THE MANUFACTURER

Plant C, the Dichong second industrial park, Gaobu town, Dongguan city, Guangdong

province, China.

NAME AND LOCATION

Guangdong Huiwan Electronics Technology Co.,LTD.

OF THE FACTORY

Plant C, the Dichong second industrial park, Gaobu town, Dongguan city, Guangdong

province, China.

PRODUCT NAME, MODEL AND SPECIFICATION

Varistor

V-(820K~182K)-20D、V-(820K~182K)-20E、V-(820K~182K)-20DH、V-(820K~182K)-20EH, 压敏电压:82V~1800V;最大连续交流电压:50VAC~1000VAC,压敏电压的允许偏差为K:±10%;气候类别为40/125/21[型号为V-(820K~181K)-20D、V-(820K~181K)-20E、V-(820K~181K)-20DH、V-(820K~181K)-20EH的压敏电阻器仅适用于GB/T10193-1997,GB/T10194-1997],详见附件,(不

用于接入交流电网电源电压 600V, 过电压类别IV的设备)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 10193-1997;GB/T 10194-1997;GB 4943.1-2022;IEC 61051-2:1991+Amd1:2009

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-471551-2022. Date of original issued: Sep.01,2016

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: www.cnc



SIGNATURE



CHINA QUALITY CERTIFICATION CENTRE

http://www.cqc.com.cn

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R.China

Tel: +86 10 83886666



CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC16001150660

page 1 of 2

Tel: +86 10 83886666

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

				l		
				压敏	最大连续	
	型号	-规格		电压	交流电压	标准
			(V)	(VAC)		
V-820K-20D	V-820K-20E	V-820K-20DH	V-820K-20EH	82	50	
V-101K-20D	V-101K-20E	V-101K-20DH	V-101K-20EH	100	60	OD /T40400 4007
V-121K-20D	V-121K-20E	V-121K-20DH	V-121K-20EH	120	75	GB/T10193-1997
V-151K-20D	V-151K-20E	V-151K-20DH	V-151K-20EH	150	95	GB/T10194-1997
V-181K-20D	V-181K-20E	V-181K-20DH	V-181K-20EH	180	115	
V-201K-20D	V-201K-20E	V-201K-20DH	V-201K-20EH	200	130	
V-221K-20D	V-221K-20E	V-221K-20DH	V-221K-20EH	220	140	
V-241K-20D	V-241K-20E	V-241K-20DH	V-241K-20EH	240	150	
V-271K-20D	V-271K-20E	V-271K-20DH	V-271K-20EH	270	175	Z Z
V-301K-20D	V-301K-20E	V-301K-20DH	V-301K-20EH	300	195	Kullik
V-331K-20D	V-331K-20E	V-331K-20DH	V-331K-20EH	330	210	Habiii
V-361K-20D	V-361K-20E	V-361K-20DH	V-361K-20EH	360	230	
V-391K-20D	V-391K-20E	V-391K-20DH	V-391K-20EH	390	250	
V-431K-20D	V-431K-20E	V-431K-20DH	V-431K-20EH	430	275	OD /T10102 1007
V-471K-20D	V-471K-20E	V-471K-20DH	V-471K-20EH	470	300	GB/T10193-1997
V-511K-20D	V-511K-20E	V-511K-20DH	V-511K-20EH	510	320	GB/T10194-1997 GB4943. 1-2022
V-531K-20D	V-531K-20E	V-531K-20DH	V-531K-20EH	530	330	GD4943. 1-2022
V-561K-20D	V-561K-20E	V-561K-20DH	V-561K-20EH	560	350	
V-621K-20D	V-621K-20E	V-621K-20DH	V-621K-20EH	620	385	
V-681K-20D	V-681K-20E	V-681K-20DH	V-681K-20EH	680	420	
V-751K-20D	V-751K-20E	V-751K-20DH	V-751K-20EH	750	460	
V-781K-20D	V-781K-20E	V-781K-20DH	V-781K-20EH	780	485	
V-821K-20D	V-821K-20E	V-821K-20DH	V-821K-20EH	820	510	
V-911K-20D	V-911K-20E	V-911K-20DH	V-911K-20EH	910	550	
V-102K-20D	V-102K-20E	V-102K-20DH	V-102K-20EH	1000	625	





CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC16001150660

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

V-112K-20D	V-112K-20E	V-112K-20DH	V-112K-20EH	1100	680
V-182K-20D	V-182K-20E	V-182K-20DH	V-182K-20EH	1800	1000

